Cell Calcium (1997) **22**(6), 515–518
© Harcourt Brace & Co. Ltd 1997

Subject index to Volume 22

A

5-HT_3 receptors induce rises in cytosolic and nuclear calcium in NG108-15 cells via calcium-induced calcium release, 357
Acinar (pancreatic)) and submandibular salivary gland (rat) cells, nNOS and Ca^{2+} influx in, 217
Acinar (rat parotid) cells, imaging of intracellular Ca^{2+} waves induced by muscarinic receptor stimulation in, 455
Acinar cell (mouse pancreatic) surface, distribution of Ca^{2+} extrusion sites on the, 5
Acyl-CoA (fatty) esters-induced and hypotonically induced calcium release from intracellular stores, synergism between, 151
Adrenergic (α_1) agent phenylephrine in rat hepatocytes: hypocalcemia modifies the intracellular calcium response to, 343
Agonist mobilisation of sarcoplasmic reticular calcium in smooth muscle: functional coupling to the plasmalemmal Na^+/Ca^{2+} exchanger?, 333
Airway smooth muscle (canine), receptor-dependent G protein-mediated Ca^{2+} sensitization in, 21
Antibody (novel) for resolving the spatial and temporal dynamics of the calcium chelator BAPTA: preparation, characterization and utility of a, 111
Apo-aequorin (expression of) during embryonic development; how much is needed for calcium imaging?, 439
ATP (luminal and basolateral), capacitative Ca^{2+} entry (CCE) induced by, in polarised MDCK-C7 cells is restricted to the basolateral membrane, 121
Axotomy induces transient calbindin D28K immunoreactivity in hypoglossal motoneurons in vivo, 367

B

Balb-c 3T3, arachidonic acid mediates calcium influx induced by basic fibroblast growth factor in, 179
BAPTA (calcium chelator), preparation, characterization and utility of a novel antibody for resolving the spatial and temporal dynamics of the, 111
Basolateral calcium efflux and apical calcium influx, co-ordinated control of, in rabbit cortical collecting system, 157
Basolateral membrane, capacitative Ca^{2+} entry (CCE) induced by luminal and basolateral ATP in polarised MDCK-C7 cells is restricted to, 121
Blastocysts (mouse), ethanol-induced intracellular calcium mobilization rapidly alters gene expression in, 463
Bradykinin and prostaglandin E_2 receptors for, coupled to Ca^{2+} signalling in rat cortical collecting duct, 269
Breast (MCF-7) cancer cells, inhibition of proliferation of, by a blocker of Ca^{2+}-permeable channel, 75
Breast cancer, repression of the candidate tumor suppressor gene *S100A2* in, is mediated by site-specific hypermethylation, 243

C

Ca^{2+} (cytoplasmic) concentration, shear-stress causes polarized change in, in human umbilical vein endothelial cells (HUVECs), 189
Ca^{2+} (cytosolic and nuclear) in NG108-15 cells, 5-HT_3 receptors induce rises in, via calcium-induced calcium release, 357
Ca^{2+} (cytosolic) of cold-shocked *Nicotiana plumbaginifolia* protoplasts, organization of cytoskeleton controls the changes in, 413
Ca^{2+} (free intracellular), novel fluorescent indicator proteins for monitoring, 209
Ca^{2+} (intracellular) mobilization, ethanol-induced, rapidly alters gene expression in the mouse blastocyst, 463
Ca^{2+} (intracellular) release and cation influx in leech P neurones mediated by caffeine, 385
Ca^{2+} (intracellular) waves, imaging of, induced by muscarinic receptor stimulation in rat parotid acinar cells, 455
Ca^{2+} (mitochondrial), modulation of, in ECV304 endothelial cells by agents which elevate cAMP, 229
Ca^{2+} (nuclear) transients and meiosis resumption in starfish oocytes, effects of 1-methyladenine on, are mimicked by the nuclear injection of inositol 1,4,5-trisphosphate and cADP-ribose, 11
Ca^{2+} action potentials (spontaneous) in monolayers of NRK fibroblasts, synchronized calcium spiking resulting from, 195
Ca^{2+} binding kinetics of calcium chelators, T-jump study of, 255
Ca^{2+} binding proteins, inositol 1,4,5-trisphosphate receptor isoforms, and SERCA isoforms, distribution of, in RBL-2H3 rat basophilic leukemia cells, 475
Ca^{2+} Calcium (sarcoplasmic reticular) in smooth muscle, agonist mobilisation of: functional coupling to the plasmalemmal Na^+/Ca^{2+} exchanger?, 333
Ca^{2+} channel α_1-subunit transcripts, novel variants of voltage-operated, in a rat liver-derived cell line: deletion in the IVS4 voltage sensing region, 39
Ca^{2+} channels (voltage-gated) in cultured rat spinal motoneurones: mibefradil (Ro 40-5967) blocks multiple types of, 299
Ca^{2+} chelator BAPTA, preparation, characterization and utility of a novel antibody for resolving the spatial and temporal dynamics of the, 111
Ca^{2+} chelators, T-jump study of calcium binding kinetics of, 255
Ca^{2+} concentration (cytosolic free), cAMP-induced changes in the, in *Dictyostelium discoideum* are light sensitive, 65
Ca^{2+} concentration (extracellular: $[Ca^{2+}]_o$) and $[H^+]_o$, a decrease of both, produces cell damage in the perfused rat heart, 487
Ca^{2+} concentration (intracellular :$[Ca^{2+}]$) in resting skeletal muscle, quantitative measurement of, following acute and long-term downhill running exercise in mice, 373
Ca^{2+} concentration (intracellular high) domains, secretory granules and exocytosis (Commentary), 1
Ca^{2+} concentration ($[Ca^{2+}]$) measurements, Fura–2-based: a study of the precision of confocal, ratiometric, 287
Ca^{2+} efflux (basolateral) and apical calcium influx, co-ordinated control of, in rabbit cortical collecting system, 157
Ca^{2+} extrusion sites, distribution of, on the mouse pancreatic acinar cell surface, 5
Ca^{2+} imaging, expression of apo-aequorin during embryonic development, how much is needed for?, 439
Ca^{2+} influx (apical) and basolateral calcium efflux, co-ordinated control of, in rabbit cortical collecting system, 157

Ca^{2+} influx and nNOS in rat pancreatic acinar and submandibular salivary gland cells, 217
Ca^{2+} influx induced by basic fibroblast growth factor in Balb-c 3T3 is mediated by arachidonic acid, 179
Ca^{2+} influx pathway, characterization of the maitotoxin-induced, from human skin fibroblasts, 31
Ca^{2+} oscillations in melanotrope cells of *Xenopus laevis*, kinetics of calcium steps underlying, 167
Ca^{2+} oscillations, simulations of the effect of inositol 1,4,5-trisphosphate 3-kinase and 5-phosphatase activities on, 321
Ca^{2+} pump (plasma membrane), effects on the hepatocyte $[Ca^{2+}]_i$ oscillator of inhibition of the, by carboxyeosin or glucagon-(19–29), 99
Ca^{2+} release and contractility of intestinal smooth muscle, Tacrolimus (FK506) modulates, 507
Ca^{2+} release channel (cardiac ryanodine receptor), inactivation of the, by nitric oxide, 447
Ca^{2+} release channel and L-type-dependent hierarchical Ca^{2+} signalling in rat portal vein myocytes, 399
Ca^{2+} release from intracellular stores, synergism between hypotonically induced calcium release and fatty acyl-CoA esters-induced, 151
Ca^{2+} release mechanisms in the sarcoplasmic reticulum of scallop (*Pecten jacobaeus*) adductor muscle, effects of free oxygen radicals on, 83
Ca^{2+} response (intracellular), hypocalcemia modifies the, to the α_1-adrenergic agent phenylephrine in rat hepatocytes, 343
Ca^{2+} sensitization, receptor-dependent G protein-mediated, in canine airway smooth muscle, 21
Ca^{2+} signalling in rat cortical collecting duct, receptors for bradykinin and prostaglandin E_2 coupled to, 269
Ca^{2+} signalling in the cell nucleus (Symposium report), 313
Ca^{2+} signalling, L-type and Ca^{2+} release channel-dependent hierarchical, in rat portal vein myocytes, 399
Ca^{2+} spiking (synchronized) resulting from spontaneous calcium action potentials in monolayers of NRK fibroblasts, 195
Ca^{2+} (cytosolic), a sustained increase of, in γδ T cells triggered by co-stimulation via TCR/CD3 and LFA-1, 421
Ca^{2+}-activated chloride-current in macrovascular endothelial cells, kinetic and pharmacological properties of the, 53
Ca^{2+}-entry (capacitative) antagonist LU 52396, unique properties of: its inhibitory activity depends on the activation state of the cells, 91
Ca^{2+}-entry (capacitative, CCE) induced by luminal and basolateral ATP in polarised MDCK-C7 cells is restricted to the basolateral membrane, 121
Ca^{2+}-induced calcium release, 5-HT_3 receptors induce rises in cytosolic and nuclear calcium in NG108-15 cells via, 357
Ca^{2+}-permeable channel, inhibition of proliferation of MCF-7 breast cancer cells by a blocker of, 75
Ca^{2+}-release channel/ryanodine receptor, functional behaviour of the, in vesiculated derivatives of the junctional membrane of terminal cisternae of rabbit fast muscle sarcoplasmic reticulum, 129
cADP-ribose and inositol 1,4,5-trisphosphate, nuclear injection of, 1-methyladenine on nuclear Ca^{2+} transients and meiosis resumption in starfish oocytes, 11
Caffeine mediates cation influx and intracellular Ca^{2+} release in leech P neurones, 385
Calbindin D28K immunoreactivity, axotomy induces transient, in hypoglossal motoneurons in vivo, 367
cAMP (agents which elevate): modulation of mitochondrial Ca^{2+} in ECV304 endothelial cells by, 229
cAMP-induced changes in the cytosolic free Ca^{2+} concentration in *Dictyostelium discoideum* are light sensitive, 65
Capacitative Ca^{2+} entry (CCE) induced by luminal and basolateral ATP in polarised MDCK-C7 cells is restricted to the basolateral membrane, 121
Capacitative Ca^{2+}-entry antagonist LU 52396, unique properties of: its inhibitory activity depends on the activation state of the cells, 91
Carboxyeosin or glucagon-(19–29), effects on the hepatocyte $[Ca^{2+}]_i$ oscillator of inhibition of the plasma membrane Ca^{2+} pump by, 99
Cardiac myocytes, the restriction of diffusion of cations at the external surface of, varies between species, 431
Cardiac ryanodine receptor calcium release channel, inactivation of, by nitric oxide, 447
Cell nucleus, calcium signalling in (Symposium report), 313
Chloride-current (calcium-activated) in macrovascular endothelial cells, kinetic and pharmacological properties of the, 53
Cold-shocked *Nicotiana plumbaginifolia* protoplasts, organization of cytoskeleton controls the changes in cytosolic calcium of, 413
Cortical (rabbit) collecting system, co-ordinated control of apical calcium influx and basolateral calcium efflux in, 157
Cortical (rat) collecting duct, receptors for bradykinin and prostaglandin E_2 coupled to Ca^{2+} signalling in, 269
Cytoskeleton, organization of, controls the changes in cytosolic calcium of cold-shocked *Nicotiana plumbaginifolia* protoplasts, 413

D

Dictyostelium discoideum, cAMP-induced changes in the cytosolic free Ca^{2+} concentration in, are light sensitive, 65
Domains (high $[Ca^{2+}]$), secretory granules and exocytosis (Commentary), 1

E

Embryonic development, expression of apo-aequorin during; how much is needed for calcium imaging?, 439
Endothelial (cultured macrovascular) cells, functional effects of expression of *hslo* Ca^{2+} activated K^+ channels in, 497
Endothelial (ECV304) cells, modulation of mitochondrial Ca^{2+} in, by agents which elevate cAMP, 229
Endothelial (macrovascular) cells, kinetic and pharmacological properties of the calcium-activated chloride-current in, 53
Ethanol-induced intracellular calcium mobilization rapidly alters gene expression in the mouse blastocyst, 463
Exercise (acute and long-term downhill running in mice): quantitative measurement of resting skeletal muscle $[Ca^{2+}]_i$ following, 373
Exocytosis and secretory granules(Commentary), high $[Ca^{2+}]_i$ domains, 1
Extrusion sites, distribution of Ca^{2+}, on the mouse pancreatic acinar cell surface, 5
Ferutinin, ionophoretic properties of, 235
Fluorescent indicator proteins (novel) for monitoring free intracellular Ca^{2+}, 209
Fura–2-based $[Ca^{2+}]$ measurements: a study of the precision of confocal, ratiometric, 287

G

G protein-mediated, receptor-dependent, Ca^{2+} sensitization in canine airway smooth muscle, 21
Gene expression in the mouse blastocyst, ethanol-induced intracellular calcium mobilization rapidly alters, 463

© Harcourt Brace & Co. Ltd 1997

Glucagon-(19–29) or carboxyeosin, effects on the hepatocyte $[Ca^{2+}]_i$ oscillator of inhibition of the plasma membrane Ca^{2+} pump by, *99*
Growth factor (basic fibroblast) in Balb-c 3T3, arachidonic acid mediates calcium influx induced by, 179

H

Heart (perfused rat), a decrease of both $[Ca^{2+}]_e$ and $[H^+]_e$ produces cell damage in, 487
Hepatocyte $[Ca^{2+}]_i$ oscillator, effects on the, of inhibition of the plasma membrane Ca^{2+} pump by carboxyeosin or glucagon-(19–29), *99*
hslo Ca^{2+} activated K^+ channels, functional effects of expression of, in cultured macrovascular endothelial cells, 497
HUVECs (human umbilical vein endothelial cells), shear-stress causes polarized change in cytoplasmic calcium concentration in, 189
Hydrogen ion (extracellular: $[H^+]_e$) and $[Ca^{2+}]_e$, a decrease of both, produces cell damage in the perfused rat heart, 487
Hypermethylation (site-specific): repression of the candidate tumor suppressor gene *S100A2* in breast cancer is mediated by, 243
Hypocalcemia modifies the intracellular calcium response to the α_1-adrenergic agent phenylephrine in rat hepatocytes, 343
Hypotonically-induced calcium release and fatty acyl-CoA esters-induced calcium release from intracellular stores, synergism between, 151

I

Imaging of intracellular Ca^{2+} waves induced by muscarinic receptor stimulation in rat parotid acinar cells, 455
Immunoreactivity (transient calbindin D28K) in hypoglossal motoneurons in vivo, axotomy induces, 367
Inositol 1,4,5-trisphosphate 3-kinase and 5-phosphatase activities on Ca^{2+} oscillations, simulations of the effect of, 321
Inositol 1,4,5-trisphosphate and cADP-ribose, nuclear injection of, mimicks effect of 1-methyladenine on nuclear Ca^{2+} transients and meiosis resumption in starfish oocytes, 11
Inositol 1,4,5-trisphosphate receptor isoforms, SERCA isoforms and Ca^{2+} binding proteins, distribution of, in RBL-2H3 rat basophilic leukemia cells, 475
Insulin-releasing pancreatic β-cells, store-operated Ca^{2+} entry in, 277
Intestinal smooth muscle, tacrolimus (FK506) modulates calcium release and contractility of, 507
Ionophoretic properties of ferutinin, 235
Junctional membrane of terminal cisternae of rabbit fast muscle sarcoplasmic reticulum, functional behaviour of the ryanodine receptor/Ca^{2+}-release channel in vesiculated derivatives of the, 129

K

K^+ channels (*hslo* Ca^{2+} activated) functional effects of expression of, in cultured macrovascular endothelial cells, 497
Kinetic and pharmacological properties of the calcium-activated chloride-current in macrovascular endothelial cells, 53

L

L-type and Ca^{2+} release channel-dependent hierarchical Ca^{2+} signalling in rat portal vein myocytes, 399
Leukemia (rat basophilic: RBL-2H3) cells, distribution of inositol 1,4,5-trisphosphate receptor isoforms, SERCA isoforms and Ca^{2+} binding proteins in, 475
LFA-1 and TCR/CD3, co-stimulation via: a sustained increase of cytosolic Ca^{2+} in γδ T cells triggered by, 421
Light sensitive, cAMP-induced changes in the cytosolic free Ca^{2+} concentration in *Dictyostelium discoideum* are, 65
LU 52396, unique properties of the capacitative Ca^{2+}-entry antagonist: its inhibitory activity depends on the activation state of the cells, 91

M

Maitotoxin-induced calcium influx pathway from human skin fibroblasts, characterization of the, 31
MDCK-C7 (polarised) cells, capacitative Ca^{2+} entry (CCE) induced by luminal and basolateral ATP in, is restricted to the basolateral membrane, 121
Meiosis resumption and Ca^{2+} (nuclear) transients in starfish oocytes, effects of 1-methyladenine on, are mimicked by the nuclear injection of inositol 1,4,5-trisphosphate and cADP-ribose, 11
Melanotrope cells of *Xenopus laevis*, kinetics of calcium steps underlying calcium oscillations in, 167
Methyladenine effects on nuclear Ca^{2+} transients and meiosis resumption in starfish oocytes are mimicked by the nuclear injection of, 11
Mibefradil (Ro 40-5967) blocks multiple types of voltage-gated calcium channels in cultured rat spinal motoneurones, 299
Mibefradil (Ro 40-5967) blocks multiple types of voltage-gated calcium channels in cultured rat spinal motoneurones, 299
Mitochondrial Ca^{2+}, modulation of, in ECV304 endothelial cells by agents which elevate cAMP, 229
Motoneurones (cultured rat spinal): Mibefradil (Ro 40-5967) blocks multiple types of voltage-gated calcium channels in, 299
Motoneurons (hypoglossal) in vivo, axotomy induces transient calbindin D28K immunoreactivity in, 367
Muscarinic receptor stimulation in rat parotid acinar cells, imaging of intracellular Ca^{2+} waves induced by, 455
Myocytes (rat portal vein) L-type and Ca^{2+} release channel-dependent hierarchical Ca^{2+} signalling in, 399

N

NG108-15 cells, 5-HT_3 receptors induce rises in cytosolic and nuclear calcium in, via calcium-induced calcium release, 357
Nitric oxide, inactivation of the cardiac ryanodine receptor calcium release channel by, 447
nNOS and Ca^{2+} influx in rat pancreatic acinar and submandibular salivary gland cells, 217
NRK fibroblasts, synchronized calcium spiking resulting from spontaneous calcium action potentials in monolayers of, 195

O

Organization of cytoskeleton controls the changes in cytosolic calcium of cold-shocked *Nicotiana plumbaginifolia* protoplasts, 413
Oxygen radicals (free), effects of, on Ca^{2+} release mechanisms in the sarcoplasmic reticulum of scallop (*Pecten jacobaeus*) adductor muscle, 83

© Harcourt Brace & Co. Ltd 1997

P

P neurones (leech), caffeine mediates cation influx and intracellular Ca^{2+} release in, 385
Pancreatic (mouse) acinar cell surface, distribution of Ca^{2+} extrusion sites on the, 5
Pancreatic acinar and submandibular salivary gland cells (rat), nNOS and Ca^{2+} influx, 217
Pancreatic β-cells (insulin-releasing), store-operated Ca^{2+} entry in, 277
Pecten jacobaeus (scallop) adductor muscle, effects of free oxygen radicals on Ca^{2+} release mechanisms in the sarcoplasmic reticulum of, 83
Pharmacological and kinetic properties of the calcium-activated chloride-current in macrovascular endothelial cells, 53
Phenylephrine (the α_1-adrenergic agent) in rat hepatocytes: hypocalcemia modifies the intracellular calcium response to, 343
Plasmalemmal Na^+/Ca^{2+} exchanger, functional coupling to the: agonist mobilisation of sarcoplasmic reticular calcium in smooth muscle?, 333
Proliferation of MCF-7 breast cancer cells, inhibition of, by a blocker of Ca^{2+}-permeable channel, 75
Prostaglandin E_2 and bradykinin, receptors for, coupled to Ca^{2+} signalling in rat cortical collecting duct, 269

Q

Quantitative measurement of resting skeletal muscle $[Ca^{2+}]_i$ following acute and long-term downhill running exercise in mice, 373

R

Receptor (cardiac ryanodine) calcium release channel, inactivation of, by nitric oxide, 447
Receptor-dependent G protein-mediated Ca^{2+} sensitization in canine airway smooth muscle, 21
Receptors for bradykinin and prostaglandin E_2 coupled to Ca^{2+} signalling in rat cortical collecting duct, 269
Ryanodine (cardiac) receptor calcium release channel, inactivation of, by nitric oxide, 447
Ryanodine receptor/Ca^{2+}-release channel, functional behaviour of the, in vesiculated derivatives of the junctional membrane of terminal cisternae of rabbit fast muscle sarcoplasmic reticulum, 129

S

S100A2 (the candidate tumor suppressor gene), repression of, in breast cancer is mediated by site-specific hypermethylation, 243
Salivary gland (submandibular) and pancreatic acinar rat cells (rat), nNOS and Ca^{2+} influx, 217
Sarcoplasmic reticular calcium in smooth muscle, agonist mobilisation of: functional coupling to the plasmalemmal Na^+/Ca^{2+} exchanger?, 333
Sarcoplasmic reticulum (rabbit fast muscle), functional behaviour of the ryanodine receptor/Ca^{2+}-release channel in vesiculated derivatives of the junctional membrane of terminal cisternae of, 129
Sarcoplasmic reticulum of scallop (*Pecten jacobaeus*) adductor muscle, effects of free oxygen radicals on Ca^{2+} release mechanisms in the, 83
Secretory granules and exocytosis (Commentary), high $[Ca^{2+}]_i$ domains, 1
SERCA isoforms, inositol 1,4,5-trisphosphate receptor isoforms, and Ca^{2+} binding proteins, distribution of, in RBL-2H3 rat basophilic leukemia cells, 475
Serotonin (5-HT_3) receptors induce rises in cytosolic and nuclear calcium in NG108-15 cells via calcium-induced calcium release, 357
Shear-stress causes polarized change in cytoplasmic calcium concentration in human umbilical vein endothelial cells (HUVECs), 189
Simulations of the effect of inositol 1,4,5-trisphosphate 3-kinase and 5-phosphatase activities on Ca^{2+} oscillations, 321
Skin fibroblasts (human), characterization of the maitotoxin-induced calcium influx pathway from, 31
Store-operated Ca^{2+} entry in insulin-releasing pancreatic β-cells, 277

T

T (γδ) cells triggered by co-stimulation via TCR/CD3 and LFA-1A sustained increase of cytosolic Ca^{2+} in, 421
T-jump study of calcium binding kinetics of calcium chelators, 255
Tacrolimus (FK506) modulates calcium release and contractility of intestinal smooth muscle, 507
TCR/CD3 and LFA-1, co-stimulation via: a sustained increase of cytosolic Ca^{2+} in γδ T cells triggered by, 421
Tumor suppressor gene *S100A2* (candidate) in breast cancer, repression of the, is mediated by site-specific hypermethylation, 243

V

Voltage (IVS4) sensing region, deletion in the, novel variants of voltage-operated calcium channel α_1-subunit transcripts in a rat liver-derived cell line, 39
Voltage-gated calcium channels in cultured rat spinal motoneurones: mibefradil (Ro 40-5967) blocks multiple types of, 299
Voltage-operated calcium channel α_1-subunit transcripts, novel variants of, in a rat liver-derived cell line: deletion in the IVS4 voltage sensing region, 39

X

Xenopus laevis: kinetics of calcium steps underlying calcium oscillations in melanotrope cells of, 167

© Harcourt Brace & Co. Ltd 1997

Cell Calcium (1997) 22(6), 519–520
© Harcourt Brace & Co. Ltd 1997

Author index to Volume 22

A

Abboud FM, 507
Abramov AY, 235
Ankorina-Stark I, 269
Antoniotti S, 179
Ariyoshi H, 189
Armant DR, 463
Arnaudeau S, 399

B

Barritt GJ, 39
Barry WH, 431
Belan P, 5
Bernstein G, 111
Bielefeldt K, 507
Bilodeau S, 343
Bindels RJM, 157
Boittin FX, 399
Bortoloso E, 129
Brereton HM, 39
Brown RJ, 217
Burlando B, 83

C

Carafoli E, 313
Casteels R, 151, 475
Cobbold PH, 99
Créton R, 439

D

Damiani E, 129
Dassesse D, 367
De Greef C, 497
de Roos ADG, 195
De Smedt H, 151, 475
de Wit C, 91
Díaz de León L, 31
Diaz J, 217
Diederichs F, 487
Distasi C, 179
Dixon CJ, 99
Dobashi K, 21
Doi I, 75
Droogmans G, 53, 299, 497
Dupont G, 321

E

Eggermont J, 53, 497
Erneux C, 321
Éthier C, 343

F

Fary CJ, 373
Franz C, 243
Froscio M, 39

G

Gascon-Barré M, 343
Gerasimenko O, 5
Gordjani N, 121
Graziana A, 413
Green AK, 99
Greger R, 121
Gukovskaya AC, 217
Guntinas-Lichius O, 367
Guse AH, 91
Gutierrez, 31
Gylfe E 277

H

Hagelgans AI, 235
Harada M, 421
Harland ML, 39
Haxelmans S, 269
Heizmann CW, 243
Helm PJ, 287
Hiromatsu K, 421
Horie T, 21

I

Iizuka K, 21
Ikeda M, 189
Ito N, 431

J

Jaffe LF, 439
Jenks BG, 167
Jones OT, 111

K

Kamouchi M, 497
Kawasaki T, 189
Klokow T, 91
Knight MR, 413
Knoll G, 65
Kobayashi N, 421
Kojima I, 75
Koopman WJH, 167
Krawetz SA, 463
Krebs C, 367
Kyozuka K, 11

L

Lang F, 157
Lau KS, 217
Lavie JL, 399
Lawrie AM, 229
Lee MG, 1
Leipziger J, 121
Liu YJ, 277
Lorell BH, 431
Lovisolo D, 179
Lynch GS, 373
Lynch JA, 209

M

Macrez N, 399
Maes K, 151
Manders EMM, 287
Margreth A, 129
Matsumoto Y, 421, 455
Matsuzaki G, 421
Mayr GW, 91
Mazars C, 413
Merzlyak PG, 235
Mészáros LG, 447
Minarovic I, 447
Mironneau C, 399
Mironneau J, 399
Missiaen L, 151, 299, 475
Monden M, 189
Moreau M, 413
Mori M, 21
Muallem S, 1, 217
Munaron L, 179

N

Nakazawa T, 21
Naraghi M, 255
Neiss WF, 367
Nichols RA, 357
Nicotera P, 313
Nie L, 75
Nilius B, 53, 299, 497
Nitschke R, 121,157
Nomoto K, 421

O

Oishi Y, 75
Orunesu M, 83

P

Pandol SJ, 217

Parys JB, 151, 475
Patwardhan A, 287
Persechini A, 209
Pertica M, 83
Peters PHJ, 195
Petersen OH, 5
Petit J-L, 343
Petronijevic T, 39
Pochet R, 367
Ponzano E, 83
Prenen J, 53

R

Raber G, 157
Ranjeva R, 413
Robberecht W, 299
Romoser VA, 209
Rondé P, 357
Roubos EW, 167
Rout UK, 463

S

Saidkhodzjaev AI, 235
Sakon M, 189
Santella L, 11, 313
Sattler R, 111
Schäfer BW, 243
Scheenen WJJM, 167
Schlatter E, 269
Schlatterer C, 65
Scholl FA, 243
Schweitzer K, 91
Sharma RV, 507
Shibata H, 75
Sienaert I, 151
Simpson AWM, 229
Sipma H, 151
Sonnemann J, 65
Spitzer KW, 431
Steele ME, 439
Stennert E, 367
Streppel M, 367
Suzuki H, 21

T

Taggart MJ, 333
Tanimura A, 455
Tashmukhamedov BA, 235
Tepikin AV, 5
Ternovsky VI, 235
Theuvenet APR, 195
Thion L, 413
Thuleau P, 413
Tobaldin G, 129
Tojyo Y, 455
Trouet D, 497
Tymiansk M, 111

V

Vaca L, 31
Van Den Bosch L, 299
Van Den Bremt K, 53
Van Driessche W, 151
van Os CH, 157
van Zoelen EJJ, 195
Vandenberghe W, 299
Vanlingen S, 151, 475
Venema RC, 447
Viana F, 299
Viarengo A, 83
Voets T, 53

W

Whiteis C, 507
Wicki R, 243
Willems PHGM, 157, 195
Williams DA, 373
Wray S, 333
Wuytak F, 475

X

Xu X, 217

Y

Yao A, 431
Yedidag E, 507
Yoshii A, 21
Yoshikai Y, 421
Yoshikawa N, 189

Z

Zahradníková A, 447
Zamaraeva MV, 235
Zaniboni M, 431
Zeng W, 217
Zolle O, 229

© Harcourt Brace & Co. Ltd 1997